

ENTRYDOORS





Table of Contents 2026-2027

ENTRYDOORS

ENGINEERED FOR THE CANADIAN CLIMATE. DESIGNED FOR YOUR HOME.

Since 2006, Madero has proudly offered the Entry Series—a collection of high-quality, affordable door systems crafted specifically for the demands of the Canadian climate.

Built to perform in even the harshest conditions, our Entry doors combine durability, energy efficiency, and timeless design. Choose from steel or fiberglass door slabs, paired with your choice of wood, composite, or aluminum-clad frames—offering the perfect solution for the exterior door openings in your home.

Every Madero Entry unit is manufactured with premium materials, expert craftsmanship, and careful packaging to ensure lasting performance and curb appeal. And now, with our in-house painting service launched in 2023, it's easier than ever to customize your door to match your unique style.

Madero Entry Doors – Built for Canada. Made for You.


4-11

Entry Door Units
Panelled and Cutout program.



12-13

Mix N Match
Selected glass is part of the Retail Glass Program, DIY or order factory installed.



14-23

Designer Entry
Factory glazed options can be sold as single units or in combination with direct glazed sidelites.



24-25

Sidelites - Direct Glazed

You can add one or two direct glazed sidelites to any Entry door unit. Available in Clear Low-E or Sandblast Low-E.



26-27

Workhorse Combo

Manufactured in Canada to withstand the Canadian Climate.



28-29

Ranger

Available in 6 Panel and inswing only.



30-31

Painting & Checklist



32-33

Entry Garden Doors

Steel slab in wood or smooth white composite frame.



34-35

Patio Doors

630 Model available in all White or Black Exterior / White Interior.

Visit groupenovatech.com for the complete program offering.



Madero ENTRYDOORS

BASIC

High-Definition Steel Slab
Wood Frame

The Basic delivers style, functionality, and most importantly affordability. It features a high-definition white steel door paired with a wood frame, offering a reliable and cost-effective entry solution.



MAVERICK

Smooth White Fiberglass Slab
Wood Frame

The Maverick is ideal for residential use, outbuildings or garage applications. It combines the durability of a maintenance-free fiberglass door with the reliability of a time-tested wood frame.



DAKOTA

High-Definition Steel Slab
Composite Frame

The Dakota combines a maintenance-free composite frame with a high-definition bright white steel slab, delivering long-lasting performance at an affordable price. This popular door system offers the perfect blend of strength, beauty and security.



TITAN

Smooth White Fiberglass Slab
Composite Frame

As the flagship of Madero's Entry Series, the Titan offers superior strength and security in a completely maintenance-free design. Built to endure the hard Canadian climate, it features a durable fiberglass door slab paired with a composite frame - no painting required.



Madero ENTRYDOORS

Entry Program - Panelled



6 Panel

Flush

2 Panel

Available as cutout only.

Entry Program - Mix N Match



6 Panel with cutout

Full Lite with cutout

2 Panel with cutout

Mix N Match coming Spring 2026.

WHY MADERO?

Quality Components with Superior Workmanship

Door Slab

STEEL: 24 gauge primed high-definition steel, bright white, with primed wood stiles & rails. Polyurethane core with 12" wood lock block.



SIZES: Width: 2/6 (6 panel only), 2/8, 2/10, 3/0
Height: 6/8

FIBERGLASS: Smooth white pre-pigmented fiberglass, composite stiles and rails, polyurethane core and full-length steel reinforced wood lock block.

SIZES: Width: 2/8, 2/10, 3/0 - Height: 6/8

Specifications

DRILLING: Available in single or double drilled. Complete with mortised face plate for superior hardware installation.

Hinges

Ball bearing hinges in zinc finish.

Glass

Door glass found on pages 12 & 13, can be factory installed or purchased through the Retail Box program.

Frame

WOOD FRAME: Kiln dried, finger jointed primed pine available in 4-9/16" or 6-9/16" jamb depth. Brickmould factory installed.

COMPOSITE FRAME: Maintenance free, smooth white composite frame available in 4-9/16" or 6-9/16" jamb depth. Brickmould factory installed.

Available in inswing and outswing.

Frame Cladding

Available with white or black aluminum cladding (exterior of jamb only) with optional slimline aluminum brickmould. Not available in outswing units.

Weatherseals

FIXED SILL: Extruded aluminum in mill finish with composite substrate.

SILL GASKETS: Prevents rain penetration and avoids messy caulking.

DOOR SHOE: Premium white vinyl adjustable shoe.

CORNER PAD: Simple solution corner pad helps eliminate air and water leaks.

WEATHERSTRIPPING: Black



Steel Doors

For over 50 years, steel doors have remained a popular choice for residential use, thanks to their durability and the continued evolution of stylish panelled designs.

5 YEAR
Limited
Manufacturer's
Warranty

Novatech

Madero Import

Fiberglass Doors

Built for the Canadian Climate

In 2005, Madero partnered with NanYa Plastics, a world leader in the manufacturing of fiberglass, working with Canadian R & D Corp. to develop a maintenance-free door and frame system, which meets the climate conditions found within the Canadian market.

25 YEAR
Limited
Manufacturer's
Warranty



WHY MADERO?

Quality Components with Superior Workmanship

Steel Doors



Finish with Ease

Ranger units use a Madero import 24 gauge steel slab with a primed warm white finish. Basic and Dakota systems use a N300 primed white finish. Madero systems require no additional paint to achieve a 5 year limited warranty.



Doors can easily be painted to match the style of your home - consider factory pre-finishing for your door and frame.

Durability

24 gauge door skins interlock with the stile, providing additional support to reduce delamination and stretching. Steel door skins will not crack or warp, unlike wood.

Strength

A 12" wood lock block provides additional strength and structure to support most residential hardware.

Energy Efficiency

Filled with an insulating core of 100% CFC-free polyurethane foam, providing a superior energy rating over a standard styrene core product.

Cost

Steel entry doors are more affordable compared to wood or fiberglass.

RANGER

High-Definition Steel Slab
Wood Frame

BASIC

High-Definition Steel Slab
Wood Frame

DAKOTA

High-Definition Steel Slab
Composite Frame

WORKHORSE COMBO

High-Definition Steel Slab
Double-Rabbeted Wood Frame

WORKHORSE STEELCOMP

High Definition Steel Slab
Double Rabbeted Composite Frame

Fiberglass Doors



Finish with Ease

Smooth white fiberglass doors are supplied in their natural pre-pigmented warm white finish. Though painting is not required to achieve a full 25 year limited warranty, doors can easily be painted to the color of your choosing.



To achieve a realistic, rich appearance, refer to page 30 for factory finish information.

Durability & Performance

Fiberglass skins are resistant to dents, dings, splintering and corrosion. The rigid structure of our fiberglass doors prevent bowing and warping in extreme temperatures.

Exceptional Security

The full-length steel reinforced wood lock block offers a high-level of security, while allowing a range of hardware mounting options.

Completely Waterproof

Waterproof composite stiles and rails are sealed and finished to protect all edges of the door from moisture penetration, which can harm the inner insulation and cause rotting.

Energy Efficiency

Filled with an insulating core of 100% CFC-free polyurethane foam, providing an excellent R rating, while bonding the two door skins together for additional strength.

MAVERICK

Smooth White Fiberglass Slab
Wood Frame

TITAN

Smooth White Fiberglass Slab
Composite Frame

WORKHORSE COMBOPLUS

Smooth White Fiberglass Slab
Double-Rabbeted Wood Frame

WORKHORSE FIBERCOMP

Smooth White Fiberglass Slab
Double-Rabbeted Composite Frame

WHY MADERO?

Quality Components with Superior Workmanship

Simple Solutions® Corner Pad Weatherstripping

Small in size but big in impact. The Simple Solution Corner Pad seals out air and moisture.

Compression weatherstrip seals tight when the door is closed and expands when opened, providing a long-lasting weather-tight solution.



Ball Bearing Hinges

All Madero Entry Series door systems ship complete with 4" x 4" ball bearing hinges. Madero's standard hinge finish is C-2G zinc plated.




Metal Cladding Options

Entry Series available with white or black aluminum cladding on the exterior of the jamb.

Optional slimline aluminum brickmould is also offered.

Cladding not available on outswing.



Snaplock Nailing Fin

(Maverick, Titan, Workhorse SteelComp, Workhorse FiberComp only)

Incorporating a hinge-style design, Madero's SnapLock nailing fin snaps into place for new home construction or can be scored and trimmed if not required.



Wood Frame

Kiln dried, primed finger-joint pine—double primed for quality performance and ease of painting. Wood frame requires paint on all exposed surfaces within 45 days of purchase

5 year limited manufacturer's warranty on frame and components if painted within 45 days of purchase.



Composite Frame

Pre-pigmented smooth white frame components are a blend of PVC and wood fiber composite substrate. Composite will not discolour, absorb moisture, splinter, or rot. Smooth white composite does not require paint.

5 year limited manufacturer's warranty on frame and components.



What to Know Before You Order

Entry Series doors are available in standard widths and 6'8" door slab heights, with single or double drilling to accommodate levers, knobs, handlesets, and deadbolt hardware. Door handles and deadbolt hardware are sold separately.

Product Comparisons

Entry Series door systems are available in a variety of door slab and frame choices.

	Steel Slab	Fiberglass Slab	Basic Wood Frame	Basic Composite Frame
<i>Ranger</i> †	•		•	
<i>Basic</i>	•		•	
<i>Maverick</i>		•	•	
<i>Dakota</i>	•			•
<i>Titan</i>		•		•
<i>Workhorse Combo</i>	•		•	
<i>Workhorse SteelComp</i>	•			•
<i>Workhorse ComboPlus</i>		•	•	
<i>Workhorse FiberComp</i>		•		•

†Ranger specifications may differ - refer to page 29.

Product Measurements

For 6/8 height

All Entry Series doors are available in 2" x 4" (4-9/16") or 2" x 6" (6-9/16") construction, left hand or right hand application and inswing or outswing. Ranger specifications may differ - refer to page 29.

Entry Series Single Door	Net Frame	
	Inswing	Outswing
2/6	31-1/2" x 81-11/16"	31-1/2" x 81"
2/8	33-1/2" x 81-11/16"	33-1/2" x 81"
2/10	35-1/2" x 81-11/16"	35-1/2" x 81"
3/0	37-1/2" x 81-11/16"	37-1/2" x 81"

Ranger specifications may differ - refer to page 29.

Rough Opening Measurements (RO)

Add 1" to width of net frame
Add 1/2" to height of net frame

Outside Measurements of Brickmould (OSM)

Inswing: Add 2-1/2" to width of net frame
Add 1-1/4" to height of net frame

Outswing: Add 3" to width of net frame
Add 1-1/2" to height of net frame

Outside Measurements of Slimline Aluminum (OSM)

Inswing: Add 1/8" to width of net frame
Add 1/16" to height of net frame

Outswing: Add 3/8" to width of net frame
Add 3/16" to height of net frame

Note: Above measurements comply with the Endura fixed sill system.

Energy Star



Scan to view on Madero's Website

Energy Star products are independently certified. Products are designed to save energy without sacrificing features or functionality.

Customize Your Door

Madero's Entry Series door systems have been developed to meet the needs of both residential and commercial environments. Ordered from factory, the add-ons shown below further enhance the door systems for use in your home, garage, shed, or outbuilding.

BASIC

High-Definition Steel Slab
Wood Frame

MAVERICK

Smooth White Fiberglass Slab
Wood Frame

DAKOTA

High-Definition Steel Slab
Composite Frame

TITAN

Smooth White Fiberglass Slab
Composite Frame



Self-Closing Hinges

These hinges are placed in the bottom and middle hinge pockets to pull the door shut after it has been opened and released. Tension is to be adjusted on site.



Door Viewer

Allows sight through the door. Cannot be used with any half lite glass options.




GW124 Shoe

Shoes are attached to the bottom of your door to provide draft protection. The PVC and mohair fins provide an airtight seal between the sill and the door.




PP3322 Brickmould

Primed double bead finger joint pine brickmould can replace 180 step brickmould. Specify at time of ordering.



Commercial Sill

Low profile access provides an uninterrupted entry line, allowing ease of mobility for lawnmowers, dollies, etc. Standard sweep not recommended. Net Frame height: 80-1/8". Ideal for sheds, garages & outbuildings.



Commercial Sweep

Designed for use in conjunction with the commercial sill.

NAFS Compliant Components


The Madero Artisan Door program uses an articulating sill and sweep system that qualifies with NAFS testing. Most Canadian jurisdictions require this testing for the issuance of building permits. Ask your Madero Sales rep for options to upgrade your Entry door to a NAFS compliant system.

ADaptive Sill System

Low-profile access provides an ease of mobility for wheelchairs. The thermal break in the sill deters frost buildup.

An innovative jamb boot supports a weather-tight seal and secure corner assembly. Full length caulking strip eliminates water penetration.

Net Frame height: 80-3/4"




RP - RETAIL BOX

Retail-Ready Boxed Program (RP)

Offered in both Half Lite (22"x36") and Full Lite (20"/22"x64").

Choose from **4 versatile commodity options** and **5 stunning decorative glass designs** to suit any style or budget.


Decorative glass is sealed between two panels of tempered safety glass, and insulated for air and water tight performance.

 Low-E coating with Argon gas.

10 Year Limited Warranty on glass seal.



PRIVACY RATING



1 - Transparent
Objects can be seen clearly through the glass from the other side.

5 - Diffused
Objects are diffused, but still detectable through the glass from the other side.

10 - Private
Only light will travel through the glass from the other side.



CLEAR

PL2337-1E RP
PL2165-1E RP
PL2365-1 LE RP

- Clear glass
- Privacy Rating: 1

Glass Size: 22"x36",
20"x64", 22"x64"



9 INTERNAL

PL2337-WIF 5/8 RP
PL2165-WIF-5/8-E RP
PL2365-WIF LE 5/8 RP

- Clear glass with 5/8" internal grille
- Privacy Rating: 1

Glass Size: 22"x36",
20"x64", 22"x64"



MINI BLIND

PL2337-MBRL RP
PL2165-MBRL-LE RP
PL2365-MBRL-LE RP

- Clear glass
- Raise, lower & tilt
- Privacy Rating: 1,5,10

Glass Size: 22"x36",
20"x64", 22"x64"




VENT

MARK-12 VENT RP
MARK-120 RP
MARK-122 RP

- Clear glass with removable screen
- Privacy Rating: 1

Glass Size: 22"x36",
20"x64", 22"x64"



BISTRO

BISTRO PAT 2236 RP

- Chinchilla glass, beveled clear glass and diamond glass with patina coming
- Privacy Rating: 5

Glass Size: 22"x36"




ALYS

ALYS PVC 2236 RP

- Sandblasted and V-groove glass
- Privacy Rating: 9

Glass Size: 22"x36"



PURE

PURE PVC 2236 RP

- Silkscreen glass with black and clear horizontal lines.
- Privacy Rating: 9

Glass Size: 22"x36"




NOUVEAU

NOUVEAU 684-78R4 RP

- Clear cluster, bevel and glue chip glass with nickel coming
- Privacy Rating: 6

Glass Size: 22"x36"



CROSSWALK

CROSSWALK 684-CWK RP

- Micro-iced granite with gray and clear softwave glass and nickel coming
- Privacy Rating: 8

Glass Size: 22"x36"

Mix n Match - Factory Glazed

Madero's RP door glass inserts provide an easy do-it-yourself project and are a great way to enhance the beauty of your home.

The Mix n Match program allows you to select from a 6 Panel or Flush model. Pick your glass from this selection and we will do the factory installation.

Door Size	Door Type	Cutout Size	Glass Size
2/8, 2/10, 3/0	6 Panel	23" x 37"	22" x 36"
2/8	Flush	21" x 65"	20" x 64"
2/10, 3/0	Flush	23" x 65"	22" x 64"





Contemporary Craftsman door with Direct Glazed sidelites featuring Clear Low-E glass. Schlage Century handleset in Satin Chrome.

DESIGNER ENTRY

Contemporary Craftsman *(Fiberglass Door Only)*

Featuring a three-panel design and smooth finish, this door captures the timeless appeal of a traditional Shaker style. Factory-glazed with 22" x 16" Clear Low-E or Transclear Low-E glass, it offers a low-maintenance solution with lasting beauty. Prehung in your choice of a white composite or wood frame. Shown here with matching direct-glazed sidelites for a cohesive, modern look.



Victoria Craftsman with Clear glass. Pre-finished in Dusty Sage. Schlage Camelot trim handleset in Satin Brass.

Victoria Craftsman *(Steel Door Only)*

Inspired by classic American architecture, the Victoria Shaker brings timeless charm to any entryway. The elegant embossed detailing stands out beautifully when painted, offering versatility as a panelled door or with a 22" x 14-7/16" glass insert. Featured as factory painted in Dusty Sage.

Crafted from durable Polytex white 24-gauge steel, this door is prehung in a pre-finished white composite frame or a primed pine wood frame with brickmould attached. Available as a single swing door or paired with one or two direct glazed sidelites.



*One Lite with Frosted glass. Pre-finished in Caliente.
Schlage Camelot handleset with Encode deadbolt in Matte Black.*

DESIGNER ENTRY

One Lite

The clean and modern simplicity of a one lite glass insert continues to grow in popularity. Ideal for any space where natural light is desired, available in Low-E glass options of Clear, Frosted, Pure and Mini Blind.



*5 Lite door with Direct Glazed sidelites in Clear Low-E glass.
Schlage Century handle set in Satin Nickel.*

Spotlite Model 842 - 5 Lite

Architectural style is what gives a home its character. The Spotlite Model 842 features five 22" x 3" factory-installed horizontal inserts. Available in Clear or Frosted glass. Shown with two Direct Glazed Sidelites - Clear Low-E.



Narrow Lite with Clear glass. Schlage Encode deadbolt in Matte Black with custom handle.

DESIGNER ENTRY

Narrow Lite

Trends come and go, good designs last. The Narrow Lite features a 7" x 64" insert installed on either the left or right hand side of your door. Available in factory-installed Clear or Frosted glass. This image showcases black painting inside and out.



*4 Lite door with Clear Low-E glass,
pre-finished in Ash. Custom handleset.*

Make a Bold Statement - Inside and Out

The 4 Lite system is a designer favourite, offering both aesthetic and functional versatility. Choose Frosted Low-E glass for complete privacy while still welcoming natural light, or opt for Clear Low-E glass to maximize your view of the outdoors. Factory finishing showcases Ash.



*One Lite featuring Pure glass, Frosted Direct Glazed sidelite.
Pre-finished in Black, Emtek Lausanne handleset.*

DESIGNER ENTRY

One Lite | Pure

Elevate your space with Pure - a modern doorglass design that complements black exterior windows seamlessly. Featuring sleek black lines on silkscreened glass, Pure strikes the perfect balance between privacy and visibility. Ideal for contemporary architecture, whether you're building new or renovating.



3/4 Lite Neulite with Clear Low-E glass, pre-finished in Pearled Ivory. Schlage Addison handle in Matte Black.

3/4 Lite Neulite

The 3/4 Lite Neulite Fiberglass Door features a uniquely brushed finish that delivers a sleek, high-end look. Choose between Frosted Low-E or Clear Low-E glass options to suit your style and privacy needs. The integrated doorglass system offers an expanded viewing area with a clean, seamless appearance—no visible screw plugs. This door represents the next level in modern design.

	2/8	3/0
Clear Low-E	Not Available	✓
Frosted Low-E	✓	✓




*4 Lite External with Clear glass, pre-finished in Charcoal.
Schlage Camelot handleset in Matte Black.*

DESIGNER ENTRY

Classic

Add a touch of light while preserving privacy with the timeless 22" x 6" Clear doorglass. External white grilles enhance the traditional look, making it the perfect choice for front entryways that value both style and discretion. Door unit and doorglass insert are shown factory painted in Charcoal.



*Sunburst door with Clear glass, pre-finished in Warm White.
Schlage Camelot handleset with Encode deadbolt in Matte Black.*

Timeless

The sunburst has long been a popular choice among homeowners. Featuring external white grilles in a five-lite 22" x 10" sunburst design, it allows soft natural light to filter through while maintaining maximum privacy. Available exclusively with a steel door.

DIRECT GLAZED SIDELITES



Alys V-Groove suggest motion and is at once natural and abstract. Partner with Sandblast glass sidelite.



The Victorian Craftsman (available in steel only) is featured with Clear Low-E glass in the door and sidelite. Optional Dentil Shelf is shown.



The modern spotlite design is shown in this Designer Entry 4 Lite unit. Available in Clear Low-E or Frosted Low-E.



One light glass inserts can be added for rooms requiring extra natural light. Available in Clear Low-E or Frosted Low-E.



The versatile Workhorse storm door adds both function and beauty to this front entry unit. Shown with a 22" x 36" Clear doorglass on interior door.

Direct Glazed Sidelites

Enhance your homes curb appeal with the addition of one or two fixed Entry sidelites. These Direct Glazed units allow maximum natural light into your front entryway.

Available Glass Size: 13-1/2" x 79"

Glass Options: Clear Low-E or Sandblast Low-E

Designed as an add-on to any single entry door unit, these sidelites perfectly complement doors with either Clear or Sandblast glass.

Glass Options:



Clear Low-E



Sandblast Low-E

Sandblasting gives this textured glass an elegant surface that allows natural colors to penetrate, blending privacy with natural light. Sandblast gives a similar appearance to Frosted and Transclear. Low-E with Argon. Privacy level 9.



Single with left silestone



Single with right silestone



Single with two sidelites



*Workhorse Combo with Clear glass venting insert.
Pre-finished in Charcoal, Schlage Corona keyed lockset.*

ENTRY SERIES WORKHORSE COMBO

WORKHORSE COMBO

High-Definition Steel Slab
Double-Rabbeted Wood Frame

WORKHORSE STEELCOMP

High-Definition Steel Slab
Double-Rabbeted Composite Frame

WORKHORSE COMBOPLUS

Smooth White Fiberglass Slab
Double-Rabbeted Wood Frame

WORKHORSE FIBERCOMP

Smooth White Fiberglass Slab
Double-Rabbeted Composite Frame

ENTRY SERIES WORKHORSE COMBO

Manufactured in Canada to withstand the Canadian climate.

Sizes: Width: 2/8, 2/10, 3/0 Height: 6/8



Steel or Fiberglass Door Options:

Steel: 24 gauge primed high-definition steel door with polyurethane core in a 6 panel design.

Fiberglass: Smooth white pre-pigmented fiberglass, composite stile and rails, polyurethane core and full-length steel reinforced wood lock block.

The door viewer is factory installed.

Outside Door: A 22" x 36" venting insert with dual, clear glass, raises and lowers for increased airflow. Fixed screen is included.

Pine Wood or Smooth Composite Frame Options:

The frame uses a double-rabbetted jamb system, accommodating two 1-3/4" doors as opposed to a traditional thinner exterior door. Choose from kiln dried, finger jointed primed pine, or pre-finished smooth white composite. The inside door uses kerf weatherstripping. Available in 4-9/16", 6-9/16" or 8-1/2" jamb depth.

Accessories:


Accessories include adjustable strike plates, ball bearing hinges, corner pads, sill gaskets and a composite substrate mill finish extruded sill. A check chain is factory installed to prevent the exterior door from overextending during daily use or windy conditions.

Optional Add-ons:

Interior Door Glass: Select any 22" x 36" glass insert to be installed into the interior door.

Factory Pre-Finishing: Select the color of your choice from our core offering or choose your custom paint.

Sidelites: Direct glazed sidelites can be added to the door system.







THE RANGER

The new affordable Ranger Door Series from Madero.

A primed 24 gauge steel door prehung in a high performance wood frame. The polyurethane core provides energy efficiency.



Steel Slab

SIZES: Width: 2/8, 3/0 - Height: 6/8

STEEL: 6 Panel, 24 gauge steel door, primed ready to paint.

DRILLING: Available with double drilling only. Complete with mortised face plate for superior hardware installation. Inswing only.

Wood Frame

Kiln dried, finger jointed primed pine available in 4-9/16" or 6-9/16" jamb depth.

Weatherseals

FIXED SILL: Extruded aluminum in mill finish with composite substrate.

SILL GASKETS: Prevents rain penetration and avoids messy caulking.

DOOR SHOE: Adjustable PVC door shoe with rain cap.

CORNER PAD: Simple solution corner pad helps eliminate air and water leaks.

WEATHERSTRIPPING: Black

Hinges

Ball bearing hinges in zinc finish.

Warranty

1 year limited manufacturer's warranty on door slab.

Packaging - Limited

Retail Packaged Accessories

- **Brickmould**
sold separately in Retail pack.





- **Jamb Extension Kit**
Individually boxed for retail.

Contains:


- 2" Primed FJ Pine jamb - profiled and cut to length.
- 2" aluminum jamb extension to affix to any Madero door sill.





Printed swatch colours may vary slightly from actual product. If you are concerned about exact colour match, we recommend you first request a product sample for accuracy.

Option to paint one side is available. Specify at time of ordering. Split finish option also available.



Pre-Finishing Options

Madero has identified and selected some of the most popular paint and stain colours. Streamline the colour matching process for your project by selecting from Madero's popular colour choices.

Doors left manufacture white will have varying shades of white due to the natural products used.

Contact your supplier for more details.



ORDERING CHECKLIST

STEP 1 Product

Steel or fiberglass door, paired with wood or composite frame.

- RANGER BASIC MAVERICK DAKOTA TITAN WHPC WHPLUSC WHSTCC WHFCC

STEP 2 Style

Ranger are available in 6 Panel only.

- Clear Flush 9 Internal Mini Blind Vent Nouveau Crosswalk Bistro Alys Pure
- 6 Panel Sunburst 4 Lite 2 Panel Cutout to 23"x37" Cutout to 21"x65" Cutout to 23"x65"
- Narrow Lite Clear (Right) Narrow Lite Clear (Left) Narrow Lite Frosted (Right) Narrow Lite Frosted (Left)
- 4 Lite Clear 4 Lite Frosted 5 Lite Clear 5 Lite Frosted One Lite Clear One Lite Frosted

STEP 3 Door Specifications

Width: 2/8 (32") 2/10(34") (excluding Designer Entry) | 3/0 (36")

Height: 6/8 (80")

Machining:

- SD (Single Drill - not available in Ranger) DD (Double Drill)

Jamb:

- 4-9/16" 6-9/16" | Primed Wood Smooth White Composite White Clad Jamb Black Clad Jamb


Brickmould: Note: If brickmould is not required, do not check off a box.

- Wood 180 Step Smooth White Composite Slimline White Aluminum Slimline Black Aluminum
- Wood 3322 Double Bead Shipped Loose

STEP 4 Configurations Options


Choose your door system configuration:

(As viewed from the outside)



Economy available in inswing only
Outswing: N/A with Aluminum Cladding

Workhorse Combo/Plus door system configuration:



STEP 5 Pre-Finishing Options

Choose your finish.



- Paint Unit - Both Sides
- Paint Unit - Exterior Side Only
- Paint Unit - 2 Colours (Please specify below)

- Paint Slab Only - Both Side
- Paint Slab Only - Exterior Side Only

*If you do not choose a colour on one side of the door unit, it will remain in its natural white or primed product colors.

STEP 6 Add-Ons

- Commercial Sill Commercial Sweep GW124 Shoe Self-Closing Hinges Door Viewer
- NAFS Sill ADAPtive Sill System

Customer Signature: _____

Date: _____

Store Name of #: _____

Tag: _____ PO: _____



Garden Patio Doors

Madero Entry Series Garden Patio Doors are offered in Clear Low-E and Mini Blind Low-E, in sizes to fit new construction or renovation projects.

The Madero Artisan Program includes fiberglass doors with a more extensive offering. View on madero.ca



Scan to view on Madero's Portal



Clear Low-E



Enclosed Mini Blinds

Garden Patio Doors

Steel Doors In Wood or Smooth White Composite

BASIC

High-Definition Steel Slab
Wood Frame

DAKOTA

High-Definition Steel Slab
Composite Frame

Let in a Burst of Fresh Air

Garden venting doors feature the active door as a typical swing door (outswing only) with optional sash lock. Product comes complete with a standard screen mounted to the inside of the venting door, roto hardware, and sash locks with tie bar. Select left or right handed configuration and specify single or double drill.



Right Hand Outswing

Available in Right Hand or Left Hand Outswing.
Specify single or double drill.

Clips open for access to exterior of window for easier cleaning.



Screen & Roto Truth Hardware allow the venting side to open for maximum air circulation.

Sash Locks & Tie Bar Locking System provide both extra security, and a weatherseal fit.



Garden Renovator*

Net Frame Width

2/8	67" x 81"
3/0	75" x 81"
5/0	59" x 79-1/4"
6/0	71" x 79-1/4"

*Steel door only





Novatech®

630 Patio Door

Designed with ease of install in mind, the 630 PVC Patio boasts an array of features, while providing superior energy efficiency to meet the Energy Star standards.



Scan to view on
Madero's Portal

630 Patio Door

Novatech®
In Stock

Maximum Glass Surface

A narrow sash and large glass surface allows you to make the most of your outside view.



a. Energy Efficiency

- Tempered double glazing
- 1" thickness
- Low thermal emissivity coating (Low-E)
- Warm edge spacer

b. Wood Inserts in Side Jamb

Pine inserts give a backing for screw mounting and keeps the door square during installation.

c. Steel Reinforcements in the vertical stiles.

d. Mechanically Assembled PVC frame and sash.

e. Frame depth of 5-3/4". Optional 9-9/16", 7-1/4"


f. Security bar and aluminum sill cover included.

Options:

PVC Brickmould and sill extension sold separately. Wood extensions with interior PVC classing sold separately. Keyed lock and keyed alike.

20-Year Limited Warranty

Door Colour Options:




Black

White

Hardware:

9600 Handle



Black

White

630 Patio Door Options:


✕ Opening Panel ○ Fixed Panel

5' width




59-1/2" x 79-1/2"
58-1/2" x 81"
IN STOCK

6' width



71-1/2" x 79-1/2"
70-1/2" x 81"
IN STOCK

8' width



94-1/2" x 81"

7', 9' & 12' width



86-7/8" x 79-1/2"
85-3/16" x 81"
104-5/8" x 79-1/2"
103-1/4" x 81"
139-1/8" x 81"

7', 9' & 12' width



89-1/4" x 79-1/2" (OXO)
87-3/4" x 81" (OXO)
107-1/4" x 79-1/2" (OXO)
105-7/8" x 81" (OXO)
107-1/2" x 79-1/2" (OOX / XOO)
106-1/16" x 81" (OOX / XOO)
141-3/4" x 81" (OXO)

10' & 12' width



117" x 79-1/2"
114-15/16" x 81"
140-15/16" x 79-1/2"
139-1/16" x 81"



For Your Multi-Family Project Think Madero

Balcony Storage | Front Entry | Garage Entry



Artisan Doors



Garden Patio Doors



Larson Catalogue



Interior Doors





Multi-Family



Commercial

Contact us at:

madero.ca | canada.orders@madero.ca | 1-800-667-6977

  @maderocanada

Printed & designed by
 **TWO SIX**
CREATIVE