

# MADERO INTERIORS



EXTERIOR DOOR SYSTEMS | INTERIOR DOOR SYSTEMS | COMMERCIAL | HARDWARE



**Berkley**  
6-Panel Equal with  
1 Vertical Panel



# MADERO INTERIORS

2024 - 2025

The Madero Interior door collection features the latest designs and timeless classics. A range of door models and materials provides options to suit your specific needs. From renovations to new home construction, Madero doors will provide exceptional value and style to your home.

Knock down frames or prehangs are available for every application.

As a major distributor for residential and commercial hardware, Madero Interior can finish the job. Refer to [madero.ca](http://madero.ca) for your door and hardware needs.

<p><b>6</b></p> <p><b>8-15</b></p> <p>8</p> <p>10</p> <p>12</p> <p>14</p> <p><b>16</b></p> <p><b>18</b></p> <p><b>20</b></p> <p><b>22-27</b></p> <p>22</p> <p>24</p> <p>26</p> <p>27</p>	<p><b>Door Core Selection</b></p> <p><b>Moulded Panel</b></p> <p>Shaker Doors</p> <p>West End Collection</p> <p>Core Moulded Panel</p> <p>Classic Moulded Panel</p> <p><b>Flush Panel</b></p> <p><b>Wood Panel</b></p> <p><b>Glass Panel</b></p> <p><b>Renin Doors</b></p> <p>Complete Barn Door Kits</p> <p>Urban Design Bypass</p> <p>Top Roll Bypass</p> <p>Bottom Roll Bypass</p>	<p><b>28</b></p> <p><b>30-51</b></p> <p>30</p> <p>32</p> <p>34</p> <p>36</p> <p>42</p> <p>44</p> <p>46</p> <p>48</p> <p>50</p> <p>54</p> <p><b>58</b></p> <p><b>60</b></p> <p><b>63</b></p>	<p><b>West Four Aluminum</b></p> <p><b>Hardware</b></p> <p>Pocket Door Hardware</p> <p>Sliding Door Hardware</p> <p>Bypass Door Hardware</p> <p>Barn Door Hardware Kits</p> <p>Hinges</p> <p>Schlage Hardware</p> <p>Dorex Hardware</p> <p>Emtek Hardware</p> <p>Latching   Pulls Hardware</p> <p>Architectural Hardware</p> <p><b>Frame Options</b></p> <p><b>Suite Entry</b></p> <p><b>Checklist</b></p>
--	---	---	--



## *Madero Interiors*

Partnering with innovative manufacturers, Madero Interiors offers a complete selection of Modern to Classic in doors and hardware designs.

For more product information and options, visit us online at [www.madero.ca](http://www.madero.ca).



*Doors • Hanging Hardware • Locking Hardware • Frames*



2PSM  
Carrara | Smooth



## *Madero Interior Doors Core Selection*

### **Hollow Core**

Hollow core doors are lighter and generally less expensive, but still durable and dependable.



### **Solid Core PBC**

PBC solid core doors feature a particle board core that provides excellent sound reduction and years of dependable service.



### **Fire-Rated Core**

Fire-rated cores offer fire protection and added safety when used in combination with certified frames and hardware. Available on moulded and flush doors as 20 minute rating.





Flat Panel

# Shaker Doors



**5PK**  
5 Panel  
Smooth Shaker

Shaker moulded panel doors feature stile and rail inspired designs with clean simple lines that provide a distinctive look for any interior décor. For increased privacy and sound reduction, choose the solid core option.

- Door** Moulded design with primed paintable surface.
- Core** Hollow core or solid core (refer to page 7); solid core recommended for bedrooms and bathrooms
- Thickness** 1-3/8" or 1-3/4"; bifold 1-3/8" only
- Height** 80" (6/8), 84" (7/0), 96" (8/0)
- Passage** 18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
- Bifold** 24" (2/0), 30" (2/6), 36" (3/0)
- Fire Rated** 20 minute (1-3/4" only)
- Optional** 1-3/8" Solid Particle Core (not available in 18")
- Warranty** 5 year limited
- Construction** Wood stiles, bottom rail 2" MDF to allow minimal trim



**3PEK**  
3 Panel Equal  
Smooth Shaker



**1PK**  
1 Panel  
Smooth Shaker  
Lincoln Park



**3PCK**  
3 Panel Craftsman  
Smooth Shaker  
Winslow



**2PK**  
2 Panel  
Smooth Shaker  
Logan







## West End Collection

The West End Collection features metropolitan inspired designs with bold graphic lines. For increased privacy and sound reduction, choose the embossed slab option.

<b>Door</b>	Paintable moulded panel; smooth primed surface
<b>Core</b>	Hollow core or solid core (refer to page 7); solid core recommended for bedrooms and bathrooms
<b>Thickness</b>	1-3/8" or 1-3/4"; bifold 1-3/8" only
<b>Height</b>	80" (6/8), 84" (7/0)
<b>Passage</b>	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
<b>Bifold</b>	24" (2/0), 30" (2/6), 36" (3/0)
<b>Fire Rated</b>	20 minute (1-3/4" only)
<b>Optional</b>	Safe 'N Sound <sup>®</sup> Solid Core, Emerald Series
<b>Warranty</b>	5 year limited



**Berkley**  
6 Panel Equal with  
1 Vertical Panel



**Melrose**  
6 Panel Equal  
(Not recommended  
for double doors)



## Core Moulded Panel

Moulded Panel doors are a major influence in residential construction. The Madero Interior program features the three most popular designs - 5 Panel Smooth, 2 Panel Smooth and 6 Panel Textured.

<b>Door</b>	Moulded design with primed paintable surface.
<b>Core</b>	Hollow core or solid core (refer to page 7); solid core recommended for bedrooms and bathrooms
<b>Thickness</b>	1-3/8" or 1-3/4"; bifold 1-3/8" only
<b>Height</b>	80" (6/8), 84" (7/0), 96" (8/0)
<b>Passage</b>	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
<b>Bifold</b>	24" (2/0), 30" (2/6), 36" (3/0)
<b>Fire Rated</b>	20 minute (1-3/4" only)
<b>Optional</b>	1-3/8" Solid Particle Core (not available in 18")
<b>Warranty</b>	5 year limited
<b>Construction</b>	Wood stiles, bottom rail 2" MDF to allow minimal trim



**5PSM**  
5 Panel Smooth  
6 Panel 96"  
Riverside



**2PSM**  
2 Panel Smooth  
Carrara



**6PTX**  
6 Panel Textured  
Colonist





## Classic Moulded Panel

Moulded Panel doors are the industry benchmark in residential construction. The Madero Interior program has four additional designs available - 2 Panel Arch Textured, 2 Panel Roundtop Smooth, 4 Panel Smooth and the 2 Panel Plank Smooth.

<b>Door</b>	Moulded design with primed paintable surface.
<b>Core</b>	Hollow core or solid core (refer to page 7); solid core recommended for bedrooms and bathrooms
<b>Thickness</b>	1-3/8" or 1-3/4"; bifold 1-3/8" only
<b>Height</b>	80" (6/8), 84" (7/0), 96" (8/0)
<b>Passage</b>	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
<b>Bifold</b>	24" (2/0), 30" (2/6), 36" (3/0)
<b>Fire Rated</b>	20 minute (1-3/4" only)
<b>Optional</b>	1-3/8" Solid Particle Core (not available in 18")
<b>Warranty</b>	5 year limited
<b>Construction</b>	Wood stiles, bottom rail 2" MDF to allow minimal trim



**2PPL**  
2 Panel Plank  
Cheyenne | Smooth



**2PAT**  
2 Panel Arch  
Classique | Textured



**4PSM**  
4 Panel  
Coventry | Smooth



**2PR**  
2 Panel Roundtop  
Roman | Smooth



Lauan  
Hardwood



## Flush Panel

Flush panel doors provide a modern architectural look with natural beauty for smaller budget renovations. Choose from hardboard, wood veneer or pre-finished Marquis Oak.

<b>Core</b>	Hollow core or solid core (refer to page 7); solid core recommended for bedrooms and bathrooms
<b>Thickness</b>	1-3/8" or 1-3/4"; bifold 1-3/8" only
<b>Height</b>	80" (6/8), 84" (7/0), 96" (8/0)
<b>Passage</b>	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
<b>Bifold</b>	24" (2/0), 30" (2/6), 36" (3/0)
<b>Fire Rated</b>	20 minute (1-3/4" only)
<b>Optional</b>	1-3/8" Solid Particle Core (not available in 18")
<b>Warranty</b>	5 year limited
<b>Construction</b>	Wood stiles, bottom rail 2" MDF to allow minimal trim
<b>Finish</b>	Red Oak, Birch and Lauan require paint or stain. Hardboard requires paint.



Red Oak  
Plain Sliced



Natural Birch  
Rotary Cut



Marquis Oak  
Factory Pre-finished



Primed Hardboard (MDF)



*271K Wood Veener Shaker, custom hardware.*

# Wood Veneer Stile and Rail Doors



**Door** Natural wood veneer overlay or wood composite core construction

**Profile** Raised Panel (A) or Shaker Panel (K);

**Panel Designs** Refer to woodportdoors.com to use the door configurator

## Shaker Designs



271K



281K



303K



092K

## Raised Panel Designs



105A



092A



**Raised Panel Single Hip (A)**  
Single Ovolo Sticking



**True Shaker Panel (K)**  
Shaker sticking



**Hard Maple**  
MAPLE




**Knotty Pine**  
KPINE



**Select Alder**  
ALDER



**Primed Wood**  
PR



**White Oak**  
WOAK



*Black painted French Doors with Clear glass and Emtek L-Square  
Tribeca Lever Neos Rosette Polished Chrome hardware.*

# Glass Panel Doors

Brighten any room with glass interior French Doors. Available in primed MDF engineered wood, with Clear Tempered or White Laminated glass. Can be painted to match any decor.

- Door** Primed Engineered Wood
- Glass** Clear Tempered, White Laminated
- Door Thickness** 1-3/8"
- Width** 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 36" (3/0)
- Height** 80" (6/8), 96" (8/0)  
Other sizes available upon request.

## Glass Options



**Clear Tempered**  
PR 271K CT 2/0  
PR 271K CT 2/6



**White Laminated**  
PR 271K LAM 2/0  
PR 271K LAM 2/6





Stone K Barn Door Kit in Silver Oak

## *Barn Doors*

Built to last, Renin provides an extensive collection of Barn Door kits that are ideal for any room or opening in your home or office. The kits are complete with everything you need to create and hang a barn door - a pre-finished door slab, Matte Black bent strap hardware and matching handle.

# Barn Door and Hardware Kit



Stone K Barn Door Kit  
Silver Oak  
STONE3/0 SO BKBS

## RENIN

### Complete Barn Door Kits Include:

**Door** Pre-finished solid engineered wood sliding barn door featuring a durable, scratch resistant, smooth finish that requires no further painting or staining. Ready-to-hang with pre-drilled mounting holes and hiding bottom groove for floor guide.

**Hardware** Hardened steel, bent strap hardware and matching handle in a rustic Matte Black finish. Optional adjustable wall mounted floor barn door guide to install directly onto the wall or baseboard.

**Thickness** 1-3/8"

**Height** 84" (7/0)

**Width** 36" (3/0)



Sierra Natural Pine  
Barn Door Kit  
SIER3/0 UP BKBS

*Supplied unfinished.  
Paint or stain required.*



Boca 1 Panel White  
Barn Door Kit  
BOCA3/0 PW BKBS



Pavilion 5 Lite  
Frosted Barn Door Kit  
PAV3/0 BW BKBS



Hall 3 Lite Frosted  
Barn Door Kit  
HALL3/0 IA BKBS



Stone K Barn Door Kit  
Primed White  
STONE3/0 PW BKBS

### Matte Black Bent Strap Hardware



*Included Flat  
Handle*





TWI 1-LT FG 48 PW  
EU3220PWFGE048080



## Urban Design Bypass

### Twilight 1-Lite | Bypass Door

Full-height, frosted glass set in a Bright White frame makes the Twilight sliding bypass closet door an ideal and functional accent for any room.

- Tool-free, dial-adjust roller closet door hardware.
- Solid engineered wood is scratch-resistant, will not warp or crack.
- Pre-finished on both sides in Bright White.
- 4mm frosted tempered glass allows for filtered light.
- Cannot be painted, stained or cut.
- Custom closet door sizes are not available.

#### Frame Finishes



Bright  
White

Width	Height
47-48"	80-1/4" - 80-7/8"
59-60"	80-1/4" - 80-7/8"
71-72"	80-1/4" - 80-7/8"



EURO3-LTFG 48 OW  
EU2030BWFGE048080

## Euro 3-Lite | Bypass Door

The European-inspired, 3-lite sliding bypass closet door system showcases frosted glass for translucent light transmission and privacy.

- Tool-free, dial-adjust roller closet door hardware.
- Durable, engineered wood sliding closet doors.
- Pre-finished in scratch-resistant Off-White on both sides.
- 4mm frosted tempered glass allows for filtered light.
- Upper roll closet door track aligns doors in place and on track, while a no-bottom track system keeps your floors damage-free and avoids tripping hazards with a clear, easy-to-clean opening.
- Cannot be painted, stained or cut.
- Custom closet door sizes are not available.



### Frame Finishes




Off-White Espresso Iron Age

Width	Height
47-48"	80-1/4" - 80-7/8"
59-60"	80-1/4" - 80-7/8"
71-72"	80-1/4" - 80-7/8"



Top Rolled Slimline Framed  
Mirror in Arctic Silver

SLIM MIR 36 TR AS  
BY0120BWCLC048080



## RENIN


### *Top Roll Bypass*

Easy-Hang sliding closet door hardware lifts and hooks your door onto its top roll sliding track system for fast installation

- Quick-Click Anti-Jump Connector with bottom guide ensures doors do not disengage from the closet door track.
- Low-profile Invisi-Track system provides a hazard-free opening that allows for easy cleaning and smooth traveling sliding doors.
- Adjustable Easy-Hang closet door hardware corrects out-of-square door openings.
- Pre-finished in Bright White
- Custom sizes are not available.
- The back side of the panels are not painted.

**Available Widths:** 48", 60", 72"

**Available Heights:** 80", 96"



Ashbury 2 Panel Design Steel Frame Bypass Door  
SLIM 2SQ 48 TR BW  
BY0108BWPRC048080



Georgian 6 Panel Design Steel Frame Bypass Door  
SLIM 6PNL 48 TR BW  
BY0106BWWTE048080



SLIM MIR 48 BR AS  
BY0220ASCLC048080

## Bottom Roll Bypass



### Sizes Available

**Height** 80" (6/8), 96" (8/0)

**Width Two Panels:**  
48" (4/0), 60" (5/0), 72" (6/0), 84" (7/0), 96" (8/0)

**Three Panels:**  
108" (9/0), 120" (10/0), 144" (12/0)

**Four Panels:**  
192" (16/0)

*Three and Four panel not available in wide curved stile*

### Frame Finishes



Bright White   Arctic Silver   Satin Gold



Satin Nickel   Satin Chrome   Bright Chrome





## *West Four Aluminum*

West Four Aluminum (formerly Dorland Doors) produces high-quality exterior aluminum products. The modern industrial trend is now bringing that look into the home.

In Dark Bronze, Clear Anodized, or Black Powder Coat we can fabricate a single door or a complete wall system with a swing door. Watch for more to come with this exciting and new product offering.



# Pocket Door Hardware

## Johnson Pocket 1500



Suitable for 1-3/8" doors up to 125 lbs each. 1-3/4" requires adapter kit.

This series is designed to carry heavy standard sized doors in 2 x 4 timber or steel framed stud walls. It is versatile and can be adapted for use in non-standard wall thicknesses, block masonry walls, and can be cut down to accept any smaller size door.

**Stocking Size** Max 36" width x 6/8, 8/0 height; 4-1/2", 6-1/2" wall thickness

**Application** Interior, Residential

**Capacity** 125 lbs (57 kg) each

**Door Thickness** 1-3/8", 1-3/4 requires adapter kit

**Add-Ons** **Johnson 1060 Soft-Close Kit**  
Make your sliding doors soft-close quietly and securely.

**Features**

- Use with new or existing Johnson Hardware sliding and pocket door hardware.
- Holds door securely in place.
- Prevents pinched fingers between door and jamb.



Johnson 1060 Soft Close Kit

## Crowder Type C Pocket



Suitable for doors up to 150 lbs.

This series provides easier and quicker installation than a traditional pocket door frame built on site thanks to its quick release hanger.

- Can be installed in single door or double bi-parting door applications
- Use with CP-801 Extruded Aluminum Header Track, 6061-T5 Alloy.

**Size** Suitable for 2/0 to 3/0 wide and 6/8 to 7/0 doors


**Application** Interior, Residential, Commercial

**Capacity** 150 lbs each

**Door Thickness** For 1-3/8" to 1-3/4" wood doors

**Add-Ons** **CC-493 Easy Connect Catch n' Close Hanger**

- Provides easier and quicker installation than a traditional pocket door frame built on site.
- Catch n' Close system prevents bouncing and slamming of the sliding doors and can be installed on both the opening and closing ends of the door.



CC-493 Easy Connect Catch n' Close Hanger



## *Sliding Door Hardware*

---

### **2610SC Soft-Close Wall Mount Sliding Door Hardware**

For Door Weighing up to 165lbs/75kg Each

The 2610SC is a versatile and easy to install soft-closing wall mounted sliding door hardware set ideally suited where the installation of a Pocket Door is not structurally possible or cost effective, including closets, storage rooms or anywhere space is limited. It is for interior use only and not suited for external applications.

<b>Size</b>	48" max width
<b>Application</b>	Interior, Residential
<b>Capacity</b>	1-3/8" or 1-3/4" doors up to 165lbs each
<b>Finishes</b>	Mill grade aluminum or anodized bronze



## KrisTrack KT47 Wall Mount Sliding Door Track



From closet doors to custom room dividing door applications, KrisTrack manufactures a complete range of sliding door hardware that is sure to meet your specific needs.


- Size** Width and height of door may vary, provided weight does not exceed maximum hanger weight listed.
- Application** Interior, Residential & Commercial
- Capacity** 1-3/8" or 1-3/4" doors
- Finishes** Extruded aluminum, mill finish
- Add-Ons**
  - KT38 Hanger** (for 1 door): Max door weight 132lbs (60kg)
  - KT40 Hanger** (for 1 door): Max door weight 220lbs (100kg)



KT38 Hanger



KT40 Hanger



## KN Crowder CCSF-493 Barn Door Systems



This all-in-one side mounted kit covers the track and any gap between the track and door. Equipped with our Easy Connect Hangers, this kit makes installation a breeze. Nylon wheels with precision ball bearings always make for smooth and quiet door operation. For added convenience, an optional snap-on fascia and end caps are available to streamline the installation process and finishing work.

- Size** Kits available for 24" [610mm] to 72" [1829mm] wide doors.
- Application** Interior, Residential, Commercial
- Capacity** 1-3/8" or 1-3/4" doors up to 150lbs (68kg) each
- Finishes** Mill finish, Clear or Bronze anodized
- Add-Ons**
  - CC-480 Fascia**  
x length based on required size
  - CC-482 End Cap Pair**  
Complete with screws for use with CC-480 fascia





Custom painted 2PSM Panel Shaker with Johnson 1166 Bypass Track & Hardware.

## Bypass Door Hardware


### Johnson 1166 Bypass Track & Hardware

An economical pre-finished gold colored steel bypass track with convex track rails, which provide one point contact between wheel and track. One wheel (7/8" dia.) hangers with three point locking. One inch high woodtone adjustable door guide. Brass-tone steel parts.

<b>Size</b>	48", 60", 72"
<b>Application</b>	Interior, Residential
<b>Capacity</b>	1-3/8" or 1-3/4" doors up to 50 lbs (23kg) each
<b>Finishes</b>	Gold coloured steel



JOHNSON 1166 48  
JOHNSON 1166 60  
JOHNSON 1166 72



2-door bypass



3-door bypass




4-door bypass

## KrisTrack KT50 Bypass

From closet doors to custom room dividing door applications, KrisTrack manufactures a complete range of sliding bypass door hardware that is sure to meet your specific needs.

<b>Size</b>	8 lengths available
<b>Application</b>	Interior, Residential & Commercial
<b>Capacity</b>	1-3/8" or 1-3/4" doors, 100-220 lbs (45-99kg) each, dependent on hanger. Max door height 84"
<b>Finishes</b>	Extruded aluminum, mill finish
<b>Optional</b>	KT5 Fascia, extruded aluminum painted white, 10 lengths

**KrisTrack®**



## Crowder C400 Bypass

*For Single & Bi-Parting, By-Passing, Pocket or Wall Mounted Doors.*

This series provides the ultimate in smooth sliding door track performance. Eight ball bearing, nylon tire wheels per door. Features vertical adjustment by threaded door top plate and locknut. Ideal for mirror covered and solid core doors.

The track comes standard in a mill finish, and the optional snap-on fascia in a clear anodized finish. Custom finishes, such as black anodized or powder-coated, are also available.

<b>Size</b>	Kits available for 24" [610mm] to 72" [1829mm] wide doors.
<b>Application</b>	Interior, Residential, Commercial
<b>Capacity</b>	1-3/4" doors up to 125lbs each

**KAC**  
K.N.CROWDER mfg. inc.



Mounting Applications



## Barn Door Hardware Kit

Doors and handles sold separately.

The Bent Barn Door Hardware Kit strap system features a classic face mount flat strap to hang wood doors on a traditional rail track. The large wheels provide excellent strength and durability as-well-as smoothness of travel along the barn door track.

Barn door kit includes hangers, track, dampers and hanging hardware for one barn door weighing up to 250lbs.

Track available in 78-3/4" x 1-9/16" x 1/4" or 96" x 1-9/16" x 1/4".

Acetal wheels with full metal sealed ball bearings ensures a smooth and quiet glide action.

Left and right track stops include dampers to minimize door slamming and rattling.

Suitable for barn doors 1-3/8" and 1-3/4" thick.

Hanger measures 11-3/8" x 2-3/4" x 2-7/16".

Options on pages 38-41.




BARN DOOR BS CID  
BD102K-07800-MB



COPPER

### Frame Finishes



## Barn Door Hardware Kit

Doors and handles sold separately.

The Top of Door Barn Door Hardware Kit strap system features a classic face mount flat strap to hang wood doors on a traditional rail track. The large wheels provide excellent strength and durability as-well-as smoothness of travel along the barn door track.

Barn door kit includes hangers, track, dampers and hanging hardware for one barn door weighing up to 250lbs.

Track available in 78-3/4" x 1-9/16" x 1/4" or 96" x 1-9/16" x 1/4".

Acetal wheels with full metal sealed ball bearings ensures a smooth and quiet glide action.

Left and right track stops include dampers to minimize door slamming and rattling.

Suitable for barn doors 1-3/8" and 1-3/4" thick.

Hanger measures 4-5/8" x 5-5/16" x 1-15/16".


Options on pages 38-41.



BARN DOOR TDS CID  
BD101K-07800-MB



### Frame Finishes



## With Bent Strap Barn Door Kit

Doors and handles sold separately.

Innovative cable-driven synchronizing technology enables the simultaneous opening and closing of bi-parting doors with just one hand. By pulling on one handle, both doors glide open or closed in unison. Add functionality and versatility with this easy-to-install hardware offering.

Barn door kit includes hangers, track, dampers and hanging hardware for one barn door weighing up to 250lbs.

Track available in 78-3/4" x 1-9/16" x 1/4" or 96" x 1-9/16" x 1/4".

Acetal wheels with full metal sealed ball bearings ensures a smooth and quiet glide action.

Left and right track stops include dampers to minimize door slamming and rattling.

Suitable for barn doors 1-3/8" and 1-3/4" thick.

Hanger measures 11-3/8" x 2-3/4" x 2-7/16".



BARN DOOR BS CID  
BD102K-07800-MB



CABLE DRIVEN SYSTEM | MATTE BLACK





BYPASS ST78 MB  
BD280K-07800-MB

BYPASS ST78 SN  
BD280K-07800-SN

## Single Track Bypass



### Barn Door Hardware Kit

Doors and handles sold separately.

A modern twist to a Bent Strap hanger allows the use of the single track for your double barn doors to bypass over each other while still maintaining the smoothness of travel along the track. Available in Matte Black or Satin Nickel.

Quick Hang Hardware for direct to wall installation with no need for a backer board.

Hardened Steel Hardware with offset hangers designed to allow two panels to bypass over an opening on a single flat track.

#### Door Compatibility Formula:

- Divide door opening by two.
- Add 4" per slab (Example: 60" Opening / 2 = 30" + 4" = 34" Door Slabs Width to fit a 60" Opening)

Door and handles sold separately.

This hardware kit is not compatible with the Easy Clip Soft Close hardware kit.



*Renin Bent Strap Barn Door Hardware in Matte Black  
with Mahogany Flush Panel Door.*



DEBEN HANDLE SN

DEBEN HANDLE MB

## Deben

- 10" Handle
- Tubular Design
- Includes handle and mounting hardware
- Ideal for 1-3/16" to 1-3/4" thick doors. Also can be applied onto custom thicker doors
- Finishes: Matte Black, Satin Nickel



ALPERTON HANDLE SN

ALPERTON HANDLE MB

## Alpertron

- 11-7/8" Handle with 8-5/8" Pull
- Tubular Handle and Rectangular Pull Design
- Includes 2 sets of mounting hardware
- Ideal for 1-3/16" to 1-5/16" and 1-3/8" to 1-3/4" thick doors only
- Finishes: Matte Black, Satin Nickel

## Easy Clip Soft-Close Hardware

Easy Clip Soft-Close attachment is designed to install quickly and discreetly onto most flat track barn door hardware kits. This patent pending low profile attachment is hidden behind the track and can be easily installed in minutes to any new or previously mounted barn door kit. The first attachment of its kind attaches on both ends of the track for smooth travel and effortless open and close functionality.

Anti-slam mechanism ensures a soft, gentle open and close.

Nicely concealed behind the barn door track and does not affect the look of your door.



SOFTCLOSE HDWE 88  
BDF960-2040-MB

Kit includes two soft-close attachments and all installation components.



2PSM Panel Shaker with Emtek Knurled Handle & Modern Rectangular Rosette in Flat Black.

## Hinges 1-3/8" Door



### Finishes Available

Door hinges look best when matched to your chosen locksets. Choose from our finish options to achieve a custom look.

Ball bearing hinges are included in all Madero jamb kits.



**C-2G**  
Zinc  
Plated



**C-4**  
Brushed  
Brass



**C-10B**  
Oil Rubbed  
Bronze



**C-15**  
Satin  
Nickel



**C-26D**  
Brushed  
Chrome



**C-1D**  
Matte  
Black



# Hinges 1-3/4" Door

## Residential • Commercial • Architectural

Looking for something different? Madero distributes for all major brands of Commercial and Architectural hardware.

**McKinney**  
**ASSA ABLOY**



Square Barrel Hinge



Two Knuckle Hinge  
Round Tips



Five Knuckle Hinge  
Button Tips

## IVES

Ives offers a variety of architectural hinges, also known as butt hinges, that will cover any need in residential and commercial applications while also exceeding code requirements. Choose from high-quality hinges offered in a variety of substrates, knuckles, bearings and styles.



**SIMONSWERK**



### TECTUS

The completely concealed hinge system.

**SOSS**



### Invisible Hinges



*Custom painted 5PK Panel Shaker with  
Schlage Broadway Lever & Collins Trim.*

# Schlage Interior Locksets



A step above the standard F Series offering, Decorative Collections allow you to add a personal touch to your home with door hardware that coordinates throughout each room.

Refer to [portal.madero.ca](http://portal.madero.ca) for the complete collection.

## Levers | F-Series



**Broadway Family**



716 Aged Bronze 622 Matte Black 619 Satin Nickel



**Latitude Family**



716 Aged Bronze 622 Matte Black 619 Satin Nickel 626 Satin Chrome



**Bowery Family**



716 Aged Bronze 622 Matte Black 619 Satin Nickel



**Accent Family**



716 Aged Bronze 622 Matte Black 620 Antique Pewter 619 Satin Nickel 608 Satin Brass

## Decorative Collections



**Latitude | Collins**



622 Matte Black 619 Satin Nickel



**Latitude | Century**



622 Matte Black 619 Satin Nickel




*One Panel Shaker finished in Select Alder  
with The Flat Lever - Satin Nickel.*

Tecnica series locksets are an Art Moderne inspired line developed to complement any contemporary architectural setting, or to modernize traditional spaces. These solid geometric handles maintain a distinctively clean look and the same robust quality as other Dorex series locksets. Tecnica series levers are recommended by architectural and interior design professionals for both private and public applications




**The Flat**




**Linea**



**Circa**



**Strata**





*T-Bar Straight Knurled Lever with  
Disk Rosette in Unlacquered Brass*

## Contemporary Passage & Privacy Sets



**T-Bar Stem** | Satin Brass  
**Smooth Handle** | Pewter  
**Disk Rosette** | Pewter



**Knurled Handle** | Flat Black  
**Modern Rectangular Rosette**  
Flat Black

## American Heritage Passage & Privacy Sets



**Merrimack Lever**  
Quincy Rosette | French Antique



**Dumont Lever** | Satin Brass  
**Modern Rectangular Rosette**  
Flat Black



**L-Square Stem** | Satin Nickel  
**Tribeca Handle** | Satin Nickel  
**Urban Modern Rosette** | Satin Nickel

## American Heritage | Glass



**Astoria Glass Knob**  
Rectangular Rosette  
Oil Rubbed Bronze



Satin Brass

## Barn Door Hardware Privacy Locks



Oil Rubbed Bronze

Satin Nickel

## Modern Rectangular | Barn Door Privacy Lock


# Rectangular Pocket Door Mortise Locks **EMTEK.**

The Modern Rectangular Pocket Door Mortise Lock offers a clean, contemporary trim style and high-quality lock for your sliding interior doors. This item is a well-crafted mortise lock with an integrated push button activated edge pull, and is offered in keyed, privacy, passage or dummy applications.

- Sold as complete set.
- Includes screws and strike plate.
- Must specify door thickness for Keyed and Privacy functions. Plates are 1/16" thick.



## Available Functions



## Finishes



## Modern Rectangular Pocket Door Mortise Locks

An addition to the Modern Rectangular design collection that includes entry sets, deadbolts, sliding door hardware, barn door kits and more, this sleek style is for pocket door mortise locks. This updated design has a d-ring thumbturn for easy operation and a through-bolt lock body for quick installation. Give your pocket doors a clean, contemporary trim style with a high-quality lock.



# Pocket Door Latching Hardware

---



POCKETPASS SQ\_

**IVES**

- For 1-3/8" Door thickness.
- Privacy, Passage.
- Packaged with fasteners.
- Finish options: Black (622), Satin Nickel (619).

Dimensions: 1-3/4" x 2-1/4"



JOHNSON PRIV 1-3/8\_  
JOHNSON DUMMY\_

**Johnson**  
HARDWARE  
*Engineered Excellence*

- For 1-3/8" Door thickness.
- Privacy, Passage.
- Packaged with fasteners.
- Finish options: Black (622), Satin Nickel (619),  
Bright Brass (3).

Shown on page 30.



JOHNSON EDGE PULL SN

**Johnson**  
HARDWARE  
*Engineered Excellence*

- For 1-3/8" Door thickness.
- Packaged with fasteners.
- Finish options: Black (622), Satin Nickel (619),  
Bright Brass (3).

## Sliding & Barn Doors | Latching Hardware



### Barn Door Privacy Latch



- For 1-3/8" Door thickness.
- Surface applied.
- Finish options: Matte Black (622).

Easy latch is compatible with most flat track barn door hardware. The locking bar mounts to the edge of the door and latches into the stop affixed to the track.



**PEMCO**  
**ASSA ABLOY**



### SDL Series

The SDL Series Privacy Barn Door Lock is designed for surface mounted sliding doors. It is installed on the jamb wall facing the opening to offer simple comfort and privacy when needed.

- For surface mounted side wall mounted sliding doors.
- Handing reversible in the field.
- Privacy function.
- Includes Emergency Release Key.
- For doors with 3/8" - 3/4" clearance between the wall or frame and door face.
- ADA option available.
- Doors can be prepped in the field.
- Available in Black Graphite and Polished Stainless Steel.
- Width 3-9/16" Height 1-7/8" Projection 9/16".

## Sliding & Barn Doors | Flush Pulls



### IVES



**221**

- Flush pull 2-7/16" outside.
- Ideal for use on sliding doors.
- Prong design - no screws.
- Available in all finishes.



**222**

- Flush pull 3-1/8" tall x 1-5/16" wide.
- Ideal for use on sliding doors.
- Available in all finishes.
- Shown on page 34.



**223**

- Flush pull 3-9/16" tall x 1-5/16" wide.
- Ideal for use on sliding doors.
- Available in all finishes.
- Shown on page 39.

### DOREX Designer Flush Pulls



**FPC402-135-630**

- Spring cover.
- Stainless Steel finish.
- Pull size is 5-5/16" x 2-3/16".
- Special Order.



**FP410-135-630**

- Stainless Steel finish.
- Pull size is 5-5/16" x 2-3/4".



**FP224-70-630**

- Stainless Steel finish.
- Pull size is 2-3/4" x 1-9/16".



RM1240  
RM1250      RM1270

Maximum Center to Center 30"


## MegaMet™

Effortless style in a simple design allow these pulls to offer a pleasing, functional, modern solution to any entry door.

**Grip:** Metal

**Posts:** All finishes available

### STANDARD MOUNTING DETAILS



Single Thru Bolt      Single Concealed      Pair Back to Back

### Straight Pull | Flat Ends

<b>RM1240</b>	Diameter 1/2"	Projection 1-3/8"
<b>RM1250</b>	Diameter 5/8"	Projection 1-1/2"
<b>RM3320</b>	Diameter 1"	Projection 2-3/4"
<b>RM3321</b>	Diameter 1-1/4"	Projection 3"
<b>RM3322</b>	Diameter 1-1/2"	Projection 3-1/4"

### Optional Offset Pull | Flat Ends

<b>RM1270</b>	Diameter 5/8"	Projection 1-1/2"
<b>RM3330</b>	Diameter 1"	Projection 2-1/2"
<b>RM3331</b>	Diameter 1-1/4"	Projection 2-3/4"
<b>RM3332</b>	Diameter 1-1/2"	Projection 3"


## Flush Leather

Classic pulls that unite a welcoming leather style with clean, contemporary lines. These wrapped leather pulls highlight the smooth, fitted transition between solid metal ends and a detailed leather grip.

**Grip:** Leather

**Posts:** All finishes available

### STANDARD MOUNTING DETAILS



Single Thru Bolt      Single Concealed      Pair Back to Back



RM6610      RM6630

\*Medium Brown leather is shown.  
Maximum Center to Center 30"

### Straight Pull | Flat Ends

<b>RM6610</b>	Diameter 5/8"	Projection 1-1/2"
<b>RM6300</b>	Diameter 1"	Projection 2-3/4"
<b>RM6310</b>	Diameter 1-1/4"	Projection 3"
<b>RM6320</b>	Diameter 1-1/2"	Projection 3-1/4"

### Optional Offset Pull | Flat Ends

<b>RM6630</b>	Diameter 5/8"	Projection 1-1/2"
<b>RM6330</b>	Diameter 1"	Projection 2-1/2"
<b>RM6340</b>	Diameter 1-1/4"	Projection 2-3/4"
<b>RM6350</b>	Diameter 1-1/2"	Projection 3"

#### ENGLISH BRIDLE LEATHER

B-LBRN  
(Light Brown)

B-BUR  
(Burgundy)

B-MBRN  
(Medium Brown)

B-DBRN  
(Dark Brown)

B-BLK  
(Black)

#### UPHOLSTERY LEATHER

U-DBRN  
(Dark Brown)

B-BLK  
(Black)



RM1410

RM1430

Maximum Center to Center 30"


## NoirMet™

Make a bold statement with the subtlety of black, hard-coat anodized grips contrasted with a compelling selection of end and mounting post finishes.

**Grip:** Black Anodized

**Posts:** All finishes available

### STANDARD MOUNTING DETAILS



Single Thru Bolt

Single Concealed

Pair Back to Back

## Straight Pull | Flat Ends

RM1410	Diameter 5/8"	Projection 1-1/2"
RM3800	Diameter 1"	Projection 2-3/4"
RM3810	Diameter 1-1/4"	Projection 3"
RM3820	Diameter 1-1/2"	Projection 3-1/4"

## Offset Pull | Flat Ends

RM1430	Diameter 5/8"	Projection 1-1/2"
RM3830	Diameter 1"	Projection 2-1/2"
RM3840	Diameter 1-1/4"	Projection 2-3/4"
RM3850	Diameter 1-1/2"	Projection 3"


## ArborMet™

Combining the strength of solid brass and stainless steel with the warm feel and varied tones of wood, these pulls add ambiance to any entrance.

**Grip:** Wood

**Posts:** All finishes available

### STANDARD MOUNTING DETAILS



Single Thru Bolt

Single Concealed

Pair Back to Back



RM1550

RM1570

Maximum Center to Center 18"

## Straight Pull | Round Ends

RM1550	Diameter 5/8"	Projection 1-1/2"
RM4004	Diameter 1"	Projection 2-3/4"
RM4014	Diameter 1-1/4"	Projection 3"
RM4024	Diameter 1-1/2"	Projection 3-1/4"



Walnut, Super Premium

White Oak, Standard Domestic

Beech, Premium

Birch, Premium

Canary Wood, Super Premium

Cherry, Premium

Hickory, Standard Domestic

Jatoba, Super Premium

Mahogany, Super Premium

Maple, Standard Domestic

Red Oak, Standard Domestic

## Offset Pull | Round Ends

RM1570	Diameter 5/8"	Projection 1-1/2"
RM4034	Diameter 1"	Projection 2-1/2"
RM4044	Diameter 1-1/4"	Projection 2-3/4"
RM4054	Diameter 1-1/2"	Projection 3"





## *Sliding & Barn Doors Flush & Round Pull*

**KN Crowder**

**ROCKWOOD<sup>®</sup>**  
**ASSA ABLOY**

### **Back-to-Back Round Door Pull & Flush Set**

- For 1-3/8" or 1-3/4" door thickness.
- Packaged with fasteners.
- Finish options: Satin Stainless Steel (630) & Flat Black (622).

This door pull set is an excellent choice for barn doors. It includes a standout 18" round pull with 1" diameter, paired with a 15" x 2-1/4" flush pull.



CRT-FSP  
RM780 | RM790

# Wood Frame Options 1-3/8" Doors

## OPTION 1

### Primed Pine Flat Jamb

is available in 4-9/16" and 6-9/16" jamb. Jamb sets include hinge jamb, strike jamb, header, bullnose stop 3422 and 3-1/2" ball bearing hinges.

- 4-13/16" available December 2024.
- Gesso coating primer is ready for painting.
- Specify Right Hand or Left Hand at time of ordering.
- Six hinge finishes available.
- Colonial 936 stop is available as a special order item.

## OPTION 2

### Primed MDF Flat Jamb

is available in 4-9/16" and 6-9/16" jamb. Jamb sets include hinge jamb, strike jamb, header, bullnose stop 3422 and 3-1/2" ball bearing hinges.

- Specify Reversible, Right Hand or Left Hand at time of ordering.
- Six hinge finishes available.
- Colonial 936 stop is available as a special order item.

## OPTION 3

### Primed Pine Double Rabbetted

is available in 4-9/16" jamb, machined and includes three 3-1/2" ball bearing hinges.

- Includes hinge jamb, strike jamb, and header.
- Specify Right Hand or Left Hand at time of ordering.
- Six hinge finishes available.
- Gesso coating primer is ready for painting.

## Madero Single Door Jamb Packs

Door Width: 18" to 36"

Door Height: 80", 84", 96"

**Knock Down Unit:** Pick your frames, add the door slab of your choosing. Door and frame will be shipped as a bulk pack on a horizontal pallet.

## Finishes Available

Door hinges look best when matched to your chosen locksets. Choose from our finish options to achieve a custom look.



**C-2G**  
Zinc  
Plated



**C-4**  
Brushed  
Brass



**C-10B**  
Oil Rubbed  
Bronze



**C-15**  
Satin  
Nickel



**C-26D**  
Brushed  
Chrome



**C-1D**  
Matte  
Black

## Madero Double Door Jamb Packs

Double door frames are available in MDF and Primed Pine Flat Jamb in both 4-9/16" and 6-9/16" units. The jamb kit includes header cut to length, two hinge jambs prepped for 3 hinges, and two sets of three 3-1/2" hinges (6 finishes to choose from).



### Magnetic Catch:

Each Magnetic Catch has a holding capacity of 18 pounds. Zinc plated steel strikes are shipped loose for site install. One magnet is installed into the top of the door. Both doors are active - no handing required.



### Roller Catch:

The doors are machined and Roller Catches are installed. Jamb plates are installed on site. Both doors are active - no handing required.



### Flushbolt (active door only):

Flushbolts are added to secure the passive side of double doors. The doors and frame are prepped and Flushbolt installed in door. Specify if the right or left hand door is active at time of ordering.



### Prehung Door Systems | 1-3/8" Doors

Our door systems make remodelling easy. Factory machined doors, prehung in high-quality jambs combined with 3-1/2" ball bearing hinges, in your choice of 6 finishes.

#### Ready to Install

- Lock prep for hassle free hardware installation.
- Primed pine fingerjoint jamb, or Primed MDF.

### Prehung Door Systems | 1-3/4" Doors

Save time and labour on the job site with prehung assembled door systems. Factory machined doors, prehung in high-quality jambs, 4-1/2" x 4" ball bearing or self-closing hinges.

#### Ready to Install

- Primed fingerjoint pine with or without kerf.
- Optional 20 Minute Fire Label affixed to frame.
- Optional Door Viewer preparation, Viewer sold separately.

# *Suite Entry*

MULTI-FAMILY FIRE-RATED




# 20M Fire Rated Frames

---

Fire rated doors are often used for house and garage applications or as entrances to Multi-Family dwellings. All 20 Minute fire rated frames are available in 4-9/16", 6-3/4", 7-7/8" or 9". Custom upon request. Machined and labelled in factory - standard sizes will see the door slab 1/4" undersized in width, and 7/8" in height.

## With Kerf Weatherstripping

Primed, kiln-dried finger-jointed pine jambs provide beauty and strength with a Warnock Hersey certified 20 minute fire rating. Suitable for interior or exterior use. Weatherstrip available in black or white.



Frame with Kerf Weatherstripping

## Without Kerf Weatherstripping

Primed, kiln-dried finger-jointed pine jambs comply with a Warnock Hersey 20 minute fire rating. Optional adhesive smoke seal can be used with this jamb for extra sound and smoke protection.



Consider a prehung system for ease of install.

For 45-90 minute fire ratings, see our selection of galvanized hollow metal frames.

**Factory painting available.**






## Up to 180 Minute Fire Rated Frames

Usage: Interior or Exterior - Residential, Commercial or Industrial

### Expandable EF-K Frame Series

The EF-K Series are an ideal solution for commercial building applications and retrofit work on existing buildings, especially when existing wall types are unknown or vary throughout the project.




### Expandable EF Frame Series (Non-Reversible)

EF Series features a two piece frame component, held together with a bracket system and spot welded to the frame material, allowing the jamb depth to be reduced or increased based on site conditions.




### K Series Drywall Frames

K Series Standard are for use with 1-3/4" steel or wood doors. They are available in a variety of standard and non-standardized sizes for use in a broad range of wood or metal stud wall constructions.



### Welded Frames

Welded frames are intended for installation during wall construction and are recommended for a wide variety of interior or exterior commercial, industrial, and residential applications. They are brake-formed for tight fitting mitres that are welded and ground to achieve a smooth appearance.



## CHECKLIST FOR CUSTOM INTERIOR DOOR MACHINING

Many details come together to create the perfect interior door package. Follow this important checklist to ensure your order is complete and the end result is exactly as you envisioned.

### STEP 1

Choose Your Door

- Moulded Panel \_\_\_\_\_  Flush \_\_\_\_\_  Glass \_\_\_\_\_  
 Shaker \_\_\_\_\_  Stile & Rail \_\_\_\_\_

Choose door size:

- Width:**  1/6" (18")  2/0 (24")  2/4 (28")  2/6 (30")  2/8 (32")  2/10 (34")  3/0 (36")  
 Other (Please Specify) \_\_\_\_\_  
**Height:**  6/8" (80")  7/0 (84")  8/0 (96")  Other (please specify) \_\_\_\_\_  
**Thickness:**  1-3/8"  1-3/4" **Core:**  Hollow  Solid

### STEP 2

Choose Your Jamb

- Primed Flat Jamb  Primed Double Rabbetted (only in 4-1/2")  Primed MDF  
**Jamb Depth:**  4-9/16"(2x4)  6-9/16"(2x6)  Other (please specify) \_\_\_\_\_  
**Stop:**  Bullnose 3422 (default)  Colonial (936)  
 \* Double Rab FJP jamb only available in 4-9/16"









### STEP 3

Choose Your Machining Options

- Backset:**  2-3/8"  2-3/4"  
**Drilling:**  40"  44"  Other (please specify) \_\_\_\_\_  
**Hinge Quantity:**  2  3  4 **Hinge Radius:**  1/4"  5/8"  5/8" SQ/REV  
**Hinge Finish:**            

### STEP 4

Choose Your Configuration

- Single:**      
 Left Hand Inswing Door      Right Hand Inswing Door
- Double Doors:**      
 Left Hand Inswing Door      Right Hand Inswing Door
- Double Doors Options:**  
 Flushbolts:  1 (top of door)  2 (top and bottom of door)  
 Lockset Drilling:  Active Door  
*Configurations on left can be used for reference.*  Both Active & Inactive  
 Dummy Active  
 Dummy Active & Inactive
-     
 Left Hand Outswing Door      Right Hand Outswing Door
-     
 Left Hand Outswing Door      Right Hand Outswing Door
- Roller Catch:  Yes  No  
 Magnetic Catch:  Yes  No

### STEP 5

Multiple Doors (House Package)

Qty	Size	Handing

Qty	Size	Handing

Customer Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Store Name or #: \_\_\_\_\_ Tag: \_\_\_\_\_ PO #: \_\_\_\_\_



Looking for a high quality, complete door and hardware package for your home or project? Madero offers a wide array of door designs and configurations with highly customizable glass and hardware options suitable for both interior and exterior applications.



Entry Doors



Garden Patio Doors



Artisan Doors



Multi-Family



Larson Product Catalogue



Commercial

Contact us at:

[madero.ca](http://madero.ca) | [canada.orders@madero.ca](mailto:canada.orders@madero.ca) | 1.800.667.6977

  @maderocanada

Printed & designed by

 **TWO SIX**  
CREATIVE